


Product information

Connector SC PC, MM, beige, 127.0 (+3/-0) µm

R304375
100 pcs





090.6034

Locking type push-pull. Injection-molded PBT housing, UL 94 V-0 (flammability index).

- Inner and outer connector housings
- Ferrule holder incl. ferrule

Technical Data

DESCRIPTION [UNIT]	VALUE/VALUE RANGE
Standard	UL Listed
Protection class IP	IP 20
Connector class	connector
Protection class IP (A)	IP 20
Number of connectors (A)	1
Connector type (A)	SC
Polishing plug (A)	PC
Attenuation grade IL (A)	Bm
Connector color (A)	beige
Fiber type	multimode (MM)

	Description	PU	Product No.
	Crimp Set E-2000™ / SC, 0.9 mm tube, short, black	100 pcs	R810595
	Crimp Set E-2000™ / SC, 0.9 mm tube, black	100 pcs	R504383

	Description	PU	Product No.
	Crimp Set all Types E-2000™ / LC / SC, 1.7 mm cable, black	100 pcs	R812803
	Crimp Set all Types E-2000™ / LC / SC, 1.7 mm cable, red	100 pcs	R812804
	Crimp Set all Types E-2000™ / LC / SC, 2.2 mm cable, black	100 pcs	R812807
	Crimp Set all Types E-2000™ / LC / SC, 2.2 mm cable, red	100 pcs	R812808
	Crimp Set all Types E-2000™ / LC / SC, 2.6 mm cable, black	100 pcs	R813158
	Crimp Set all Types E-2000™ / LC / SC, 2.6 mm cable, red	100 pcs	R813159
	Crimp Set all Types E-2000™ / LC / SC, 3.0 mm cable, black	100 pcs	R813162

	Description	PU	Product No.
	Crimp Set all Types E-2000™ / LC / SC, 3.0 mm cable, red	100 pcs	R813163
	Boot 90° R30	12 pcs	R505756
	Duplex Clip for SC connector, black	1 pcs	R306718