## **Product information** Splice Tray Basic Set R30, white

R30393 1 pcs



To splice and store the first 12 FO terminations. Material: plastic (ABS).

Dimensions: 92x10x155 mm (WxHxD).

- 1 splice tray R30
- 1 splice tray R30 cover
- 2 film hinges for cover
- 4 cable ties
- 2 screws for splice holder

010.0840

## **Mechanical Data**

DESCRIPTION [UNIT]	VALUE/VALUE RANGE
Dimensions	155mm x 10mm x 92mm (W x H x D)
Material	plastic: ABS

Splice tray set accommodating the first 12 splices and storing excess fibers, guaranteeing a bending radius of  $\geq$  30 mm. Also designed to accommodate splice holders for sandwich or heat shrink splices, featuring a splice tray 94 in acc. with telecom standards, 4 cable ties, 2 screws for the splice holders. Dimensions: 92 x 10 x 155 mm (WxHxD)

Material: ABS, pure white (RAL 9010)

Description	PU	Product No.
Splice Holder R30/R40, splice protection 3M Fiberlok™	1 pcs	R30042
Splice Protection ANT	15 pcs	R30086
Heat Shrink Splice Protection 60 mm	12 pcs	R30087



Description	PU	Product No.
Heat Shrink Splice Protection 45 mm	50 pcs	R319212
Heat Shrink Splice Protection 35 mm	12 pcs	R30087-35
Splice Connector 3M Fiberlok™	6 pcs	R30089
Insert Tool	1 pcs	R30084
Splice Holder R30/R40, 12x shrink splice protection	10 pcs	R320246
Splice Holder R30/R40, 6x shrink splice protection	10 pcs	R30039-06
Strain Relief 6 Fibers Ø 1.9-2.1 mm, green	10 pcs	R30204



Description	PU	Product No.
Splice Holder R30/R40, splice protection ANT	10 pcs	R30255

