Product information

Splice Tray Additional Set R30, white

R30394 150900049 1 pcs



For the modular stacking of 12 more FO terminations per set. Material: plastic (ABS).

- Dimensions: 92x8x155 mm (WxHxD). • 1 splice tray R30
- 4 film hinges, small, for stacking
- 4 cable ties
- 2 screws for splice holder

010.0841

Mechanical Data

DESCRIPTION [UNIT]	VALUE/VALUE RANGE
Dimensions	92mm x 8mm x 155mm (W x H x D)
Color Code RAL	9010 Pure white
Material	plastic: ABS

Splice tray set accommodating additional 12 splices and storing excess fibers, guaranteeing a bending radius of \geq 30 mm. Also designed to accommodate splice holders for sandwich or heat shrink splices, complementing the basic set for modular stacking, featuring a splice tray 94 in acc. with telecom standards, 4 insert hinges for stacking, 4 cable ties, 2 screws for the splice holders.

Dimensions: 92 x 8 x 155 mm (WxHxD) Material: ABS, pure white (RAL 9010)

Description	PU	Product No.
Splice Holder R30/R40, splice protection 3M Fiberlok™	1 pcs	R30042
Splice Protection ANT	15 pcs	R30086
Heat Shrink Splice Protection 60 mm	12 pcs	R30087



	Description	PU	Product No.
	Heat Shrink Splice Protection 45 mm	50 pcs	R319212
	Heat Shrink Splice Protection 35 mm	12 pcs	R30087-35
A CONTRACTOR OF THE OWNER	Splice Connector 3M Fiberlok™	6 pcs	R30089
	Insert Tool	1 pcs	R30084
	Splice Holder R30/R40, 12x shrink splice protection	10 pcs	R320246
K K K K K K K K K K K K K K K K K K K	Splice Holder R30/R40, 6x shrink splice protection	10 pcs	R30039-06
	Strain Relief 6 Fibers Ø 1.9-2.1 mm, green	10 pcs	R30204



Description	PU	Product No.
Splice Holder R30/R40, splice protection ANT	10 pcs	R30255

